






LOC		DIST		REVISIONS					
FX		00		REV	LYR	DESCRIPTION	DATE	DWN	APVD
				D1		REVISED PER ECR 07-029132	07JAN2008	DLD	WTW
				E		REVISED PER ECR 07-030366	08JAN2008	DLD	WTW
				F		REVISED PER ECO 08-006962	19MAR2008	DLD	WTW




SECTION A-A
SHOWN WITH CAM LEVER
AND TPA IN THEIR
PRE-LOADED POSITIONS
(DELIVERY CONDITION)



MINIMUM FEED THROUGH CONDITION
WITH 1mm CLEARANCE ALL AROUND
SHOWN WITH OPTION WIRESHIELD
TPA IS IN IT'S LOADED POSITION
CAM LEVER IS IN IT'S PRE-LOADED POSITION



- NOTE(S):
1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
 2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
 3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
 4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
 5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
 6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



KEYING OPTION "G" SHOWN
SEE SHEET 2 FOR BILL OF MATERIALS
AND SHEET 3, 4 AND 5 FOR PIN-OUT CHARTS

TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN		Tyco Electronics	
DIMENSIONS:		A. HOLT		Tyco Electronics	
mm		14NOV2006		Harrisburg, PA 17105-3608	
0 PLC ±.3		CHK		NAME	
1 PLC ±0.3		W. WELLINSKY		40 WAY SHORTING BAR ARM	
2 PLC ±0.10		APVD		PLUG ASSEMBLY	
3 PLC ±.3		W. WELLINSKY		WITHOUT SHORTING BARS LOADED	
4 PLC ±.3		PRODUCT SPEC		SIZE	
ANGLES ±.3		APPLICATION SPEC		CAGE CODE DRAWING NO	
FINISH		WEIGHT		RESTRICTED TO	
MATERIAL		SEE NOTE 5		00779 ©=1924170	
ON SHEET 2		CUSTOMER DRAWING		SCALE 3:1	
				SHEET 1 OF 5	
				REV F	

[illegible]

THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS LTD. IT IS LOANED TO YOUR FIRM FOR A SPECIFIC PURPOSE AND IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS LTD.						DRAWN A. HOLT 4/NOV2006		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHECKED BY R. WELLSKY 4/NOV2006		NAME			
mm				APPROVED BY R. WELLSKY 4/NOV2006				40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
		6 P L C ± 2 +0.3 2 P L C ± 2 +0.10 4 P L C ± 2 ±.1 ANCHORS ±.1		PRODUCT SPEC -				SIZE CASE CODE DRAWING NO RESTRICTED TO	
MATERIAL SEE CHART ON SHEET 2		FINISH -		APPLICATION SPEC -		WEIGHT -		A 00779 C=1924170 -	
CUSTOMER DRAWING						SCALE 3:1		SHEET 2 OF 5 REV F	

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12										21	22													35	36	37	38	39	40	0-1924170-1	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-3	G	
							7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-4	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14												24									35	36						0-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16										24					29	30				35	36						0-1924170-7	G
							7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12																						35	36	37	38	39	40	0-1924170-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16													27	28	29	30				35	36	37	38	39	40	1-1924170-0	G	
							7	8	9	10	11	12						18																35	36	37	38	39	40	1-1924170-1	G		
1	2	3	4				7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30				35	36	37	38	39	40	1-1924170-2	G	
1	2						7	8	9	10	11	12									21	22												35	36	37	38	39	40	1-1924170-3	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22											35	36	37	38	39	40	1-1924170-4	G		
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18				21	22											35	36	37	38	39	40	1-1924170-5	G		
1	2						7	8	9	10	11	12					17	18				21	22										35	36	37	38	39	40	1-1924170-6	G			
1	2						7	8	9	10	11	12					17	18				21	22										35	36	37	38	39	40	1-1924170-7	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																35	36	37	38	39	40	1-1924170-9	G		
							7	8	9	10	11	12																							35	36						2-1924170-0	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		23	24	25	26	27	28	29	30								39	40		2-1924170-1	G	
							7	8	9	10	11	12	13	14	15	16																						39	40		2-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																						39	40		2-1924170-3	G	
1	2						7	8	9	10	11	12					17	18			21	22	23	24	25	26								35	36	37	38	39	40	2-1924170-4	G		
1	2						7	8	9	10	11	12					17	18			21	22	23	24										35	36	37	38	39	40	2-1924170-5	G		
							7	8	9	10	11	12	13	14	15	16	17	18																	35	36	37	38	39	40	2-1924170-6	G	
							7	8	9	10	11	12	13	14	15	16	17	18								26								35	36	37	38	39	40	2-1924170-7	G		
							7	8	9	10	11	12	13	14	15	16	17	18																			39	40		2-1924170-8	G		
			3	4			7	8	9	10	11	12	13	14	15	16																					37	38	39	40	2-1924170-9	G	
											11	12																							32			37	38	39	40	2-1924170-0	G
1	2						7	8	9	10	11	12	13	14	15	16	17	18				21	22												35	36	37	38	39	40	3-1924170-1	G	
1	2						7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-2	G
1	2						7	8	9	10	11	12	13	14	15	16	17	18				21	22												35	36	37	38	39	40	3-1924170-3	G	
1	2						7	8	9	10	11	12									21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-4	G
1	2						7	8	9	10	11	12	13	14	15	16					21	22													35	36	37	38	39	40	3-1924170-5	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-6	G
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22			24										35	36	37	38	39	40	3-1924170-7	G		
1	2						7	8	9	10	11	12									21	22		24										35	36	37	38	39	40	3-1924170-8	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24				27	28	29	30	31	32	33	34	35	36	37	38	39	40	3-1924170-9	G
											11	12							19	20				24												37	38	39	40	4-1924170-0	G		
					5	6	7	8	9	10	11	12	13	14	15	16			19	20				24				27	28	29	30							37	38	39	40	4-1924170-1	G
1	2				5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30				35	36	37	38	39	40	4-1924170-2	G	
1	2	3	4	5	6	7	8				11	12	13	14	15	16			19	20		21	22	23	24			27	28	29	30	31	32			35	36	37	38	39	40	4-1924170-3	G
1	2	3	4	5	6						11	12	13	14	15	16					21	22	2																				

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-1924170-2](#)