











LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			P	REVISED PER ECO-14-004696	05APR2014	NK	JO

- 1 CONTACT AREA PLATED WITH .000030 MIN GOLD; SOLDER TAILS PLATED WITH .000150 MIN TIN-LEAD, ALL OVER .000050 MIN NICKEL
- 2 POINT OF MEASUREMENT FOR PLATING THICKNESS
- 3 CIRCUIT IDENTIFICATION FEATURE OMITTED ON 8,10,12 AND 14 POSN HEADER ASSEMBLIES
- 4 DIMENSION APPLIES AT BASE OF SHROUD
- 5 THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING
- 6   ARE LOCATED THE SAME AS   EXCEPT ON OPPOSITE SIDE OF HOUSING.
- 7 CONTACT AREA PLATED WITH .000030 MIN. GOLD; SOLDER TAILS PLATED WITH .000150 MIN TIN; ALL OVER .000050 MIN NICKEL
- 8 FINISH: .000001 MIN GOLD ON GOLD PLATED AREA.
.000150-.000250 MATTE TIN-LEAD ON TIN PLATED AREA.
UNDER PLATING TO BE .000050-.000100 NICKEL ON ENTIRE CONTACT.
- 9 FINISH: .000001 MIN GOLD ON GOLD PLATED AREA. .000150-.000250 MATTE TIN ON TIN PLATED AREA. UNDER PLATING TO BE .000050-.000100 NICKEL ON ENTIRE CONTACT.
- 10 PRELIMINARY PART - NOT RELEASED FOR PRODUCTION
- 11 OBSOLETE





RECOMMENDED HOLE PATTERN

BASIC DIMENSIONS FOR
EVEN NO OF SPACES
(SEE TABLE)

BASIC DIMENSIONS FOR
ODD NO OF SPACES
(SEE TABLE)

DETAIL R

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. CLOUSER 10-3-88 CHK T. ZOLA 10-3-88		 TE Connectivity			
DIMENSIONS: INCHES		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME HEADER ASSEMBLY, VERTICAL SHROUDED, DOUBLE ROW W/SIDE & END LATCHES, AMPMODU System 50			
		0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ALL ANGLES ± ± -					
MATERIAL		FINISH					
HOUSING: THERMOPLASTIC COLOR-BLACK POST: COPPER ALLOY		SEE TABLE					
		WEIGHT -		SIZE A2			
		CUSTOMER DRAWING		CAGE CODE 00779		DRAWING NO C-104068	
				SCALE 4:1		SHEET 1 of 2	
				REV P			

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
AD	00	P	LTR	DESCRIPTION	DATE	APVD
			-	SEE SHEET 1	-	-

D

D

C

C

B

B



A

A

<div>9</div>	1.650	33	1.830	68	<div>10</div> 8-104068-8
	2.450	49	2.630	100	8-104068-7
	1.950	39	2.130	80	<div>10</div> 8-104068-6
	1.750	35	1.930	72	<div>10</div> 8-104068-5
	1.050	21	1.230	44	<div>10</div> 8-104068-4
	.800	16	.980	34	8-104068-3
	.600	12	.780	26	<div>10</div> 8-104068-2
	.550	11	.730	24	<div>10</div> 8-104068-1
	.350	7	.530	16	<div>10</div> 8-104068-0
	.300	6	.480	14	<div>10</div> 7-104068-9
	.250	5	.430	12	<div>10</div> 7-104068-8
	.150	3	.330	8	7-104068-7
	1.450	29	1.630	60	<div>10</div> 7-104068-6
	1.200	24	1.380	50	<div>10</div> 7-104068-5
	.950	19	1.130	40	<div>10</div> 7-104068-4
	.700	14	.880	30	<div>10</div> 7-104068-3
	.200	4	.380	10	<div>10</div> 7-104068-2
	.450	9	.630	20	<div>10</div> 7-104068-1
<div>7</div>	1.650	33	1.830	68	6-104068-8
	2.450	49	2.630	100	6-104068-7
	1.950	39	2.130	80	6-104068-6
	1.750	35	1.930	72	6-104068-5
	1.050	21	1.230	44	6-104068-4
	.800	16	.980	34	6-104068-3
	.600	12	.780	26	6-104068-2
	.550	11	.730	24	6-104068-1
	.350	7	.530	16	6-104068-0
	.300	6	.480	14	5-104068-9
	.250	5	.430	12	5-104068-8
	.150	3	.330	8	<div>11</div> 5-104068-7
	1.450	29	1.630	60	5-104068-6
	1.200	24	1.380	50	5-104068-5
	.950	19	1.130	40	5-104068-4
	.700	14	.880	30	5-104068-3
	.200	4	.380	10	5-104068-2
	.450	9	.630	20	5-104068-1
FINISH	C	B	A	NO OF POS	PART NUMBER

<div>8</div>	1.650	33	1.830	68	<div>10</div> 3-104068-8
	2.450	49	2.630	100	<div>10</div> 3-104068-7
	1.950	39	2.130	80	<div>10</div> 3-104068-6
	1.750	35	1.930	72	<div>10</div> 3-104068-5
	1.050	21	1.230	44	<div>10</div> 3-104068-4
	.800	16	.980	34	<div>10</div> 3-104068-3
	.600	12	.780	26	<div>10</div> 3-104068-2
	.550	11	.730	24	<div>10</div> 3-104068-1
	.350	7	.530	16	<div>10</div> 3-104068-0
	.300	6	.480	14	<div>10</div> 2-104068-9
	.250	5	.430	12	<div>10</div> 2-104068-8
	.150	3	.330	8	<div>10</div> 2-104068-7
	1.450	29	1.630	60	<div>10</div> 2-104068-6
	1.200	24	1.380	50	<div>10</div> 2-104068-5
	.950	19	1.130	40	<div>10</div> 2-104068-4
	.700	14	.880	30	<div>10</div> 2-104068-3
	.200	4	.380	10	<div>10</div> 2-104068-2
	.450	9	.630	20	<div>10</div> 2-104068-1
<div>1</div>	1.650	33	1.830	68	1-104068-8
	2.450	49	2.630	100	1-104068-7
	1.950	39	2.130	80	1-104068-6
	1.750	35	1.930	72	1-104068-5
	1.050	21	1.230	44	1-104068-4
	.800	16	.980	34	1-104068-3
	.600	12	.780	26	1-104068-2
	.550	11	.730	24	1-104068-1
	.350	7	.530	16	1-104068-0
	.300	6	.480	14	104068-9
	.250	5	.430	12	104068-8
	.150	3	.330	8	<div>11</div> 104068-7
	1.450	29	1.630	60	104068-6
	1.200	24	1.380	50	104068-5
	.950	19	1.130	40	104068-4
	.700	14	.880	30	104068-3
	.200	4	.380	10	104068-2
	.450	9	.630	20	104068-1
FINISH	C	B	A	NO OF POS	PART NUMBER

104068

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. CLOUSER 10-3-88	<div>TE Connectivity</div>			
DIMENSIONS: INCHES		CHK T. ZOLA 10-3-88				
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
	0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		APVD T. ZOLA 10-3-88		PRODUCT SPEC	
	MATERIAL		APPLICATION SPEC		DRAWING NO	
FINISH		WEIGHT		RESTRICTED TO		
SEE TABLE		CUSTOMER DRAWING		P		
		SCALE 4:1		SHEET 2 of 2		

114-1093

114-25031

104068

A2

00779

104068

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-104068-4](#)