

Specification Sheet

Part Number: CT2003X2



Self-Laminating Tag, Caution Write-On, Fiber Optic Cable, 3.5" x 2.0", Orange, 25/pkg

Article Number	597-00030
----------------	-----------

Type	CT2003
------	--------

Color	Orange (OG)
-------	-------------

Features & Benefits	<ul style="list-style-type: none">• Clear laminating plastic flap permanently protects the writing and data marked on the tag.• Mounting holes for easy mounting using standard cable ties.• Markers can be mounted in any direction, either vertically, horizontally, as a wrap-around identification plate or as a flag for the best visual position on the cable assembly.
---------------------	---

Quantity Per	pack
--------------	------

Product Description	HellermannTyton's Rite-On Markers are made from a flexible vinyl film and used to mark wire and cable. The self-laminating labels have a clear tail which seals the legend under clear vinyl, maintaining the quality of the labels. The Rite-On markers are packaged in a reusable dispenser made from high impact plastic which is resistant to oils and grease. Product Features/bold - Easily and conveniently fits in a pants or shirt pocket. - Once loaded, unit allows minimal label exposure to dust and moisture. - Can be used with standard ball point pens or HellermannTyton nylon marking pens. - Excess liner is easily cut-off by tearing it over the edge guide at the front of the unit. - The dispenser can be reloaded over and over again, making it a cost-effective and efficient method of labeling.
Short Description	Self-Laminating Tag, Caution Write-On, Fiber Optic Cable, 3.5" x 2.0", Orange, 25/pkg
Global Part Name	CT2003-PVC-OG
Technical Description	Caution Write-On Self-Laminating Tag, Fiber Optic Cable, 3.5" X 2.0", Orange
Width W (Imperial)	3.5
Width W (Metric)	88.9
Height H (Imperial)	2.0
Height H (Metric)	6.35
Material	Polyvinylchloride (PVC)
Material Shortcut	PVC

Adhesive	Acrylic
Halogen free	No
Adhesive Operating Temperature	-40°F to +302°F (-40°C to +150°C)
Operating Temperature (Metric)	-40°F to +257°F (-40°C to +125°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Use Conditions	For Indoor Use Only
Package Quantity(Imperial)	25
Package Quantity (Metric)	25
Customs Number	3926909988
Content Unit(BMEcat)	pack
Labels per Column	1
Labels per Row	1
Weight (Metric)	0.22
Weight (Imperial)	0.5

