

a) Part as supplied

462W013



b) Part after unrestricted recovery.



## DIMENSIONS (in millimetres).

	ŀ	Н	J, k	<8L	P	R	S	НО	JO	W
Part Number	Min a	Max b	Min		±10% b	±5% b	±10% b	±10% b	±10% b	±20% b
462W013	10	4.8	10	4.8	93	55	36	20	20	1.5

Copuriant(!)

The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the conduction that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn A.LILLEY.

Checked S

15 00

Issue

September 2000 Conforms to 150 Recommendations
3rd Angle Projection

Not to Scale








lss.	Date	E.C.R. No.	Details of Change
2 3 4 5	**** **** September 2000	**** **** ****	5 was 36 R was 50±10% S was 43 Redrawn

## Ordering Information



## COMPATIBILITY CHART

MATERIAL DASH NUMBER	MATERIAL DESCRIPTION	COATING SLASH NUMBER
-25	ELASTOMER, FLUID RESISTANT	/86, /225
-100	ZERO HALOGEN	/86,/180
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	/42, /86
	•	

AS SUPPLIED DIMENSIONS ARE FOR UNCOATED PARTS, WHEN COATING IS ADDED, ENTRY DIAMETERS WILL REDUCE BY 1.5mm MAX.

Raychem Wire & Harness a Division of Tyco Electronics Faraday Road, Swindon, Wiltshire, England. SN3 5JA Telephone: (01793) 528171 Fax: 572516 Raychem Wire & Harness a Division of Tyco Electronics 300, Constitution Drive, Menlo Park, California 94025-1164, USA Telephone (650) 361-3333 Fax: (650) 361-5579

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 462W013-25/225-0