








REVISIONS				
P.	LTR.	DESCRIPTION	DATE	DWN. APVD.
	C	REVISED PER ECR-07-016022	30JUL2007	DLD DCS
	C1	REVISED PER ECO-13-019739	06JAN2014	DD RL


- 1 TE CONNECTIVITY ASSY PART-NO. ACCORDING TO TABLE, LASER PRINTED, WHITE INK PERMITTED AS ALTERNATIVE.
- 2 DATE CODE, FORMAT, YY=YEAR JJJ=DAY HH=HOUR, LASER PRINTED, WHITE INK PERMITTED AS ALTERNATIVE. SINGLE DIGIT HOUR NOTE ACCEPTABLE.
- 3 TERMINAL CAVITY ID.
- 4 MATERIAL ID.
- 5 MOLD CAVITY ID.
- 6 TE LOGO.
- 7 KEY "A" NOT RECOMMENDED FOR NEW APPLICATIONS.
8. PACKING:
PARTS BULK PACKED IN CARDBOARD BOX.



ASSEMBLY WITH CPA





1456989-7	1456989-6	1456989-5	1456989-4	1456989-3	1456989-2	1456989-1	<----- ASSEMBLY PN			
-	-	-	-	-	I	-	CPA	PBT-GF20	RED	3
I	I	I	I	I	I	I	SPACER	PBT+PC-GF30	RED	2
I	-	-	-	-	-	-	HOUSING; KEY F	PA66-GF35	BLACK	I
-	I	-	-	-	-	-	HOUSING; KEY E	PA66-GF35	BLACK	I
-	-	I	-	-	-	-	HOUSING; KEY D	PA66-GF35	BLACK	I
-	-	-	I	-	-	-	HOUSING; KEY C	PA66-GF35	BLACK	I
-	-	-	-	I	-	-	HOUSING; KEY A	PA66-GF35	LT. GREY	I
-	-	-	-	-	I	I	HOUSING; KEY A	PA66-GF35	BLACK	I
							DESCRIPTION	MATERIAL	COLOR	ITEM NO
QTY REQ'D PER ASSY							REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)			
							WEIGHT OF EACH ASSY NO (g)			
PARTS LIST										

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN. R. VESTAL 30OCT2006	 TE Connectivity	
DIMENSIONS:		CHK. D. STRAUSSER 30OCT2006		
mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:	NAME	
		0 PLC ±	D. STRAUSSER 30OCT2006	
		1 PLC ±	PRODUCT SPEC	
		2 PLC ±	APPLICATION SPEC	
		3 PLC ±	WEIGHT	
		4 PLC ±	CUSTOMER DRAWING	
		ANGLES ±	SIZE CAGE CODE DRAWING NO	
		FINISH	A100779C=1456989	
		MATERIAL SEE TABLE	RESTRICTED TO	
		-	SCALE 5:1 SHEET 1 OF 2 REV C	

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
	-	SEE SHEET 1	-	-	-



KEYING OPTION
A



4:1

(SHOWN WITH CPA)



KEYING OPTION
C



4:1

(SHOWN WITH CPA)



KEYING OPTION
D



4:1

(SHOWN WITH CPA)



KEYING OPTION
E



4:1


(SHOWN WITH CPA)

KEYING OPTION
F



4:1

(SHOWN WITH CPA)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL	30OCT2006	 TE Connectivity	
DIMENSIONS:		CHK D. STRAUSSER	30OCT2006		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. STRAUSSER	30OCT2006	NAME	
	0 PLC	±	PRODUCT SPEC	2X8 POSITION, GET FEMALE CONNECTOR UNSEALED ASSEMBLY	
	1 PLC	±	APPLICATION SPEC		
	2 PLC	±	408-8599		
	3 PLC	±	WEIGHT		
MATERIAL		FINISH	Customer Drawing	SIZE	CAGE CODE
SEE TABLE		-	-	A1	00779
-		-	-	DRAWING NO	
				RESTRICTED TO	
				SCALE	
				5:1	
				SHEET	
				2	
				OF	
				2	
				REV	
				C1	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1456989-1](#)