






LOC	DIST	REVISONS				
		P	LTR	DESCRIPTION	DATE	DWN
ES	00	G2		ADDED THE DASH NO -27	11MAY2011	ML
		G3		REV PER ECR-13-006828	25APR2013	CZ
		G4		ADDED NEW DASH NUMBER 2-9	03JUN2013	CZ

- 1 OPTIONAL CENTER MODULE, WITH Ø.150 THRU HOLE OR HOLD DOWN FEATURE
- 2 "AMP", TRADEMARK, PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES
- 3 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0
SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 4 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
- 5 MECHANICAL CONNECTOR KEEP OUT ZONE
- 6 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 7 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES
- 8 PCB - .0453 ±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 CU PLATING TO ACHIEVE A .040±.003 DIA HOLE
- 9 FOR P/N:2-6450150-2.THE VARIABLE DIMENSIONS PLEASE SEE SHEET 7.




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.GRZYBOWSKI 16FEB05	TE Connectivity	
		CHK M.PERCHERKE 16FEB05		
DIMENSIONS: INCHES		APVD M.PERCHERKE -	NAME	
		PRODUCT SPEC	VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
		108-1973		
		APPLICATION SPEC		
		114-13038		
MATERIAL		WEIGHT	SIZE	RESTRICTED TO
3		4	A100779C=6450150	-
CUSTOMER DRAWING		SCALE 1:1	SHEET 1 OF 12	REV G5

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
ES	00	-		SEE SHEET 1	-	-	-

64	WITH	2.650	.200	.250	1.550	.875	2.700	-	3.000	.450	2P + 24S + 6P	2-6450150-9
	WITH	2.300	.250	.300	1.950	1.275	2.350	-	2.650	.475	3ACP + 24S + 2P	2-6450150-8
	WITH	5.150	.300	.300	3.550	2.700	5.200	-	5.500	.450	8ACP + 32S + 6ACP	2-6450150-7
	WITH	2.800	.300	.250	2.075	1.375	2.850	-	3.150	.450	4P + 24S + 3ACP	2-6450150-6
	WITH	3.800	.300	.250	1.875	1.375	3.850	-	4.150	.450	4P + 16S + 7ACP	2-6450150-5
	WITH	2.400	.200	.200	2.100	.825	2.450	-	2.750	.450	2P + 48S + 2P	2-6450150-4
	WITH	1.700	.250	.250	1.350	.875	1.750	-	2.050	.450	2P + 16S + 2P	2-6450150-3
	WITHOUT	5.500	.300	.300	3.175	2.525	5.550	-	5.850	.475	7ACP+20S+4ACP+5P	2-6450150-2
	WITH	2.900	.250	.250	2.550	.875	2.950	-	3.250	.450	2P + 64S + 2P	2-6450150-1
	WITH	3.550	-	.300	2.550	1.275	3.600	-	3.900	.475	3ACP + 48S + 5P	2-6450150-0
	WITH	4.000	-	-	-	.375	4.050	-	4.350	-	148S	1-6450150-9
	WITH	2.800	.250	.250	1.700	1.125	2.850	-	3.150	.450	3P + 20S + 5P	1-6450150-8
	WITH	2.200	.250	.250	1.350	.875	2.250	-	2.550	.450	2P + 16S + 4P	1-6450150-7
	WITH	3.500	.300	.250	2.775	2.375	3.550	-	3.850	.450	8P + 12S + 3ACP	1-6450150-3
	WITH	2.300	.250	.300	1.950	1.275	2.350	-	2.650	.475	3ACP + 24S + 2P	6450150-9
	WITH	1.575	-	-	1.425	.700	1.625	-	1.925	.475	1P + 24S + 1P	6450150-8
	WITH	3.000	.250	.250	2.150	1.425	3.050	-	3.350	.450	4P + 24S + 4P	6450150-6
	WITH	2.500	.300	.250	1.800	1.125	2.550	-	2.850	.450	3P + 24S + 3ACP	6450150-5
	WITH	2.675	.200	.200	2.375	1.650	2.725	-	3.025	.475	5P + 24S + 2P	6450150-4
	WITH	2.800	.300	.250	2.075	1.375	2.850	-	3.150	.450	4P + 24S + 3ACP	6450150-3
	WITH	3.550	-	.300	2.550	1.275	3.600	-	3.900	.475	3ACP + 48S + 5P	6450150-2
	WITH	4.350	.250	.250	3.500	2.625	4.400	-	4.700	.450	9P + 32S + 4P	6450150-1
	HOLD DOWN	U	T	S	R	W	D	M	L	K	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES



D 0 PLC ±.01
2 2 PLC ±.01
3 3 PLC ±.005
4 4 PLC ±.0020
ANGLES ±2°
FINISH -

DWN R. GRZYBOWSKI 16FEB05
CHK M. PERCHERKE 16FEB05
APVD M. PERCHERKE -

PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT -

CUSTOMER DRAWING

TE Connectivity


VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

A100779C=6450150

SCALE 1:1 SHEET 2 OF 12 REV G5

4805 (3/11)

PART NUMBER	ROWS		POWER (L)					SIGNAL													POWER (R)			
			P8	P7	P6	P5	P4	12	11	10	9	8	7	6	5	4	3	2	1	P3	P2	P1		
6450150-2	D C B A	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 
3ACP + 48S + 5P																								

[illegible]



VN	.090	STD		
VM	.135	STD		
VB	.090	MFB	J	.090
VA	.135	MFB	E	.135
CODE	TAIL LENGTH	DESCRIPTION	CODE	TAIL LENGTH
POWER CONTACTS			SIGNAL CONTACTS	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI 16FE005		 TE Connectivity	
		CWP M. PERCHERKE 16FE005			
DIMENSIONS: INCHES		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME	
		PART M. PERCHERKE		VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
		PRODUCT SPEC			
		108-1973			
		APPLICATION SPEC			
		114-13038		SIZE CASE CODE, DRAWING NO	
MATERIAL		WEIGHT		A1 00779C-6450150	
FINISH		CUSTOMER DRAWING		SCALE 1:1 SHEET 3 OF 12 REV G5	

LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	



PART NUMBER	ROWS		POWER (L)								SIGNAL								POWER (R)								
			P7	P6	6	5	4	3	2	1	P5	P4	P3	P2	P1												
6450150-4	D C B A		VB	VB	J	J	J	J	J	J	VN	VN	VN	VN	VN												
					J	J	J	J	J	J																	
					J	J	J	J	J	J																	
					J	J	J	J	J	J																	
5P + 24S + 2P																		HD									

PART NUMBER	ROWS		POWER (L)				SIGNAL					POWER (R)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
			P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2		P1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
6450150-6	D C B A			VN		VN	J	J	J	J	J	J	VN	VB	VN	VB																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
							J	J	J	J	J	J																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
							J	J	J	J	J	J																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
							J	J	J	J	J	J																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
4P + 24S + 4P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															



PART NUMBER	ROWS		POWER (L)			SIGNAL							POWER (R)				
			P6	P5	P4	6	5	4	3	2	1	P3	P2	P1			
6450150-5	D C B A		VM	VM	VM	E	E	E	E	E	E	E	E	VM	VM	VA	
						E	E	E	E	E	E	E	E				
						E	E	E	E	E	E	E	E				
						E	E	E	E	E	E	E	E				
3P + 24S + 3ACP																	HD


PART NUMBER	ROWS		POWER				SIGNAL				POWER		
			P2	6	5	4	3	2	1	P1			
6450150-8	D C B A		VM	E	E	E	E	E	E	E	VA		
				E	E	E	E	E	E				
				E	E	E	E	E	E				
				E	E	E	E	E	E				
1P + 24S + 1P												HD	




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI 16FEB05	 TE Connectivity				
		CHK M. PERCHERKE 16FEB05					
DIMENSIONS: INCHES		APVD W. PERCHERKE	NAME	VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL			
		PRODUCT SPEC					
		108-1973					
		APPLICATION SPEC					
		114-13038					
		WEIGHT					
MATERIAL		CUSTOMER DRAWING		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
-		-		A1	100779	C-6450150	-
FINISH		SCALE		1:1	SHEET	4	OF 12
-		REV		G5			

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-


PART NUMBER	ROWS		POWER (L)			SIGNAL				POWER						
			P11	P10	P9	3	2	1	P8	P7	P6	P5	P4	P3		P2
1-6450150-3	D															
8P + 12S + 3ACP																





PART NUMBER	ROWS		POWER (L)					SIGNAL					POWER (R)			
			P8	P7	P6	P5	P4	5	4	3	2	1	P3	P2	P1	
1-6450150-8	D	○	VA	VA		VM	VA	E		E	E	E	VM		VM	○
	C							E		E	E	E				
	B							E		E	E	E				
	A	HD						E		E	E	E				HD
3P + 20S + 5P																





PART NUMBER	ROWS		SIGNAL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
			37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6		5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1-6450150-9	D		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	R. GRZYBOWSKI	16FEB05			TE Connectivity															
		CHK	M. PERCHERKE	16FEB05																		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:			NAME		VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL															
INCHES																						
		0 PLC ±.01			PRODUCT SPEC		108-1973															
		1 PLC ±.01																				
		2 PLC ±.005			APPLICATION SPEC		114-13038															
		4 PLC ±.0020																				
		ANGLES ±.2°																				
FINISH					SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO											
MATERIAL					A1		100779		C-6450150		-											
					CUSTOMER DRAWING		SCALE		1:1		SHEET		5		OF		12		REV		G5	




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN. GRZYBOWSKI 16FEB05 CHK. M. PERCHERKE 16FEB05 APP. M. PERCHERKE		 TE Connectivity	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: DECIMALS: ± FRACTIONS: ±0.01 ANGLES: ±0°		NAME VERTICAL RECTEPCLE ASSEMBLY WITH BEAMS MULTI-DEAM XL	
		PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038			
MATERIAL -		WEIGHT -			
FINISH -		CUSTOMER DRAWING		SIZE CAGE CODE DRAWING NO A100779C6450150	
				RESTRICTED TO -	
				SCALE 1:1 SHEET 6 OF 12 REV G5	



PART NUMBER	ROWS		POWER		SIGNAL						POWER			
			P5	P4	6	5	4	3	2	1	P3	P2	P1	
6450150-9	D C B A													
3ACP+24S+2P														

[illegible]

6450150-9 & 2-6450150-8 PCB LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN - R. GRZYBOWSKI 16FEB05		 TE Connectivity	
		CHW - M. PERCHERKE 16FEB05			
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		1 PLC ±		APVD -	
		1 PLC ±		M. PERCHERKE	
		2 PLC ±.01		PRODUCT SPEC	
		3 PLC ±.005		108-1973	
4 PLC ±.0020		APPLICATION SPEC		VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
ANGLES ±°		114-13038		SIZE CASE CODE DRAWING NO	
FINISH		WEIGHT -		A 100779 ©=6450150	
MATERIAL				RESTRICTED TO	
				-	
				SCALE 1:1 SHEET 7 OF 12 REV G5	
		CUSTOMER DRAWING			

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R.GRZYBOWSKI
CHK
M.PERCHERKE
APVD
M.PERCHERKE

16FEB05
16FEB05
-

DIMENSIONS:
INCHES

MATERIAL
-

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°
FINISH

16FEB05
16FEB05
-

PRODUCT SPEC
108-1973
APPLICATION SPEC
114-13038
WEIGHT
-

16FEB05
16FEB05
-

16FEB05
16FEB05
-

NAME
VERTICAL RECEPTACLE ASSEMBLY
WITH GUIDES
MULTI-BEAM XL

SIZE
A1

CAGE CODE
00779

DRAWING NO
C=6450150

RESTRICTED TO
-

CUSTOMER DRAWING

SCALE
1:1

SHEET
8



OF
12

REV
G5

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER		SIGNAL					POWER		
			P4	P3	4	3	2	1	P2	P1		
2-6450150-3	D C B A				E	E	E	E	E			
					E	E	E	E	E			
					E	E	E	E	E			
					E	E	E	E	E			
2P + 16S + 2P												

PART NUMBER	ROWS		POWER		SIGNAL												POWER		
			P4	P3	12	11	10	9	8	7	6	5	4	3	2	1	P2	P1	
2-6450150-4	D		VM	VA	E	E	E	E	E	E	E	E	E	E	E	E	VA	VM	
	C				E	E	E	E	E	E	E	E	E	E	E	E			
	B				E	E	E	E	E	E	E	E	E	E	E	E			
	A	HD			E	E	E	E	E	E	E	E	E	E	E	E			HD
2P + 48S + 2P																			



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R. GRZYBOWSKI
CHK
M. PERCHERKE
APVD
M. PERCHERKE

16FEB05
16FEB05
-

DIMENSIONS:
INCHES

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°
FINISH

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

PRODUCT SPEC
108-1973
APPLICATION SPEC
114-13038
WEIGHT
CUSTOMER DRAWING

NAME
VERTICAL RECEPTACLE ASSEMBLY
WITH GUIDES
MULTI-BEAM XL

SIZE
A100779

CAGE CODE
C=6450150

DRAWING NO.
REV
G5

TE Connectivity

RESTRICTED TO

SCALE
1:1


SHEET
9

OF
12


REV
G5

PART NUMBER	ROWS		POWER (L)			SIGNAL							POWER (R)				
			P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1		
2-6450150-6	D		 VM	 VM	 VA	E	E	E	E	E	E		 VM		 VM		
	C					E	E	E	E	E							
	B					E	E	E	E	E							
	B					E	E	E	E	E							
	A					E	E	E	E	E							
																	
4P + 24S + 3ACP																	

FI

4805 (3/11)

GI





 $\varnothing .040 \pm .003$

	$\varnothing .004 \text{ (M)}$	V	U
---	--------------------------------	---	---

 TYP

—PCB EDGE


4805 (3/11)

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
ES	00	-	-	SEE SHEET 1	-	-

PART NUMBER	ROWS		POWER						SIGNAL								
			P8	P7	P6	P5	P4	P3	4	3	2	3	2	1			P2
2-6450150-9	D		VM		VM		VA		E	E	E	E	E		VM	VM	
	E								E	E	E	E					
	E								E	E	E	E					
	E								E	E	E	E					
2P + 24S + 6P		HD															HD

NO CONTACTS LOADED

NO CONTACTS LOADED



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.GRZYBOWSKI 16FEB05	TE Connectivity	
		CHK M.PERCHEKKE 16FEB05		
DIMENSIONS:		APVD M.PERCHEKKE -	NAME	
INCHES		PRODUCT SPEC	VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
		108-1973		
		APPLICATION SPEC		
		114-13038		
MATERIAL		WEIGHT	A100779C=6450150	
		CUSTOMER DRAWING	SCALE 1:1 SHEET 12 OF 12 REV G5	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6450150-9](#)