


REV	DATE	DESCRIPTION	BY	APPD
A20	ECR-16-009337		PMDEC2016	GEM MKO
A21	ECR-16-016696		PMDEC2016	GEM MKO
A22	ECR-16-016780		19NOV2017	GR MKO
A23	ECR-17-014013		26MAR2018	SG MKO

- NOTES:
- Material:Housing:Aluminium Diecasting Alloy
  - Seals:Neoprene conductivity
  - Surface:Varnish grey
  - ChromITAL TCP passivation -Varnish Black
  - Packaging Quantity 5 Pieces in a box
  - Special Packaging Quantity 25 Pieces in a box
  - Varnish on the inside not necessarily



QTY	DESCRIPTION	MATERIAL	SURFACE	COLOR	ITEM NO	REMARKS
1	Hood size 8 finished product	Aluminium	SUR TEC 650	Black RAL9005	13	
1	Hood size 8 finished product	Aluminium		Without varnish	12	
1	Blanking Piece	Brass	Nickel plated	Blue	11	
1	O-Ring	Neoprene		Black	10	
1	Hood size 8 finished product	Aluminium		White Aluminium	9	
2	Washer, Plain	Stainless steel	Blank		8	B6.4
2	Screw, Hexagon Bolt	Stainless steel	Blank		7	M6x30
2	Hood size 8 finished product	Aluminium	SUR TEC 650	Black RAL9005	6	
2	Washer, Plain	Stainless steel	Blank		5	B6.4
2	Screw, Hexagon Bolt	Stainless steel	Blank		4	M6x30
1	Seal	Neoprene		Black	3	Conductivity
1	Hood size 8 finished product	Aluminium	SUR TEC 650	Black RAL9005	2	
1	Hood size 8 finished product	Aluminium		Grey RAL7001	1	
1-9	DESCRIPTION	MATERIAL	SURFACE	COLOR	ITEM NO	REMARKS
	EMV-24/64-STO-1.M40-G					
	EMV-24/64-STO-1.M40-G					
	EMV-K-24/64-STO-1.M40-G					
	EMV-K-24/64-STO-1.M40-G					
	EMV-24/64-STO-1.M25-G					
	EMV-24/64-STO-1.M25-G					
	EMV-K-24/64-STO-1.M32-G					
	EMV-K-24/64-STO-1.M32-G					
	EMV-24/64-STO-1.M32-G					
	EMV-24/64-STO-1.M32-G					
	EMV-24/64-STO-1.M32-G					
	EMV-K-24/64-STO-1.M40-G-WE					
	EMV-K-24/64-STO-1.M25-G					
	EMV-24/64-STO-1.M32-G					
	EMV-K-24/64-STO-1.M32-G					
	EMV-K-24/64-STO-1.M32-G					
	EMV-K-24/64-STO-1.M32-G					
	EMV-K-24/64-STO-1.M32-G					
	EMV-K-24/64-STO-1.M32-G					
	EMV-K-24/64-STO-1.M32-G					
	EMV-K-24/64-STO-1.M32-G					

THIS DRAWING IS A CONTROLLED DOCUMENT.

DATE: 01.08.2000

DESIGNER: Schneider

CHECKED: C. Schweizer

DATE: 01.08.2000

PRODUCT SPEC: HOOD

APPLICATION SPEC: EMV-24/64-STO/STS WITH M-THREAD

WEIGHT: 54.0 g

CUSTOMER DRAWING

SCALE: 5:1

SHEET: 1 of 1

REV: A23