






Technical drawing of a mechanical assembly. The drawing shows a central block with four vertical pins and four horizontal pins. Dimensions include a width of 7.50, a height of 4.97, and a distance C. A table of parameters is provided:

Parameter	Value
X	0.38
Y	0.38
Z	0.38
W	0.38
C	0.38




Technical drawing of a mechanical part (Fig. 10.10) showing a cross-section with dimensions and tolerances. The drawing includes a central vertical shaft with a T-shaped top and a flange. The shaft has a diameter of 1.70 ± 0.10 . The flange has a thickness of 0.15 and a width of 7.00 . The total height of the part is (G) , and the height of the flange is (F) . The drawing also shows a cross-section of the shaft with a diameter of 8 and a length of 12 .




TRAY: PK-89990-489

FORMAT: Met-lega
REVISION: C






ORIENTATION OF PART IN TUBE




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
MIGRATED TO NX EC NO: 168769 DRWN: GGUNAGI CHK'D: KHLIM REV APPR: KHLIM		2017/11/23 2018/06/19 2018/06/19		GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex® CUSTOM HEADER C-GRID HDR, SMT W/CAP WITH/WITHOUT LOC. PEGS							
				MM		INCH		DRWN BY		DATE								
		4 PLACES	±	±		SKLIM01		2006/05/25										
		3 PLACES	±	±		CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING								
		2 PLACES	±	0.2		PATEY		2006/07/05										
		1 PLACES	±	±		APPR BY		DATE										
		0 PLACES	±	±		PATEY		2006/07/05		SERIES		MATERIAL NUMBER		CUSTOMER				
		ANGULAR TOL = 3.0			DRAWING SIZE		THIRD ANGLE PROJECTION		87920		SEE TABLE		GENERAL MARKET					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			A3				DOCUMENT NUMBER		SD-87920-001		DOC TYPE		DOC PART		SHEET NUMBER	
													PSD		001		2 OF 14	


THIS TYPE OF CARRIER TAPE IS FOR CKT SIZE 04 ONLY



NOTES:
1. LEADER AND TRAILER TAPE



2. PEELING OFF FORCE OF THE TOP TAPE: 20-80gf.
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)





3. PACKAGING STANDARD IS AS PER EIA-481.
4. TAPE & REEL QUANTITY = 500PCS/REEL
5. THE TAPE IS TREATED FOR ANTI-STATIC.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


MIGRATED TO NX EC NO: 168769 DRWN: GGUNAGI CHK'D: KHLIM REV APPR: KHLIM	2017/11/23 2018/06/19 2018/06/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE	molex®				
			MM	NTS						
			MM	INCH	DRWN BY	DATE	CUSTOM HEADER C-GRID HDR, SMT W/CAP WITH/WITHOUT LOC. PEGS			
		4 PLACES	±	±	SKLIM01	2006/05/25				
		3 PLACES	±	±	CHK'D BY	DATE				
		2 PLACES	± 0.2	±	PATEY	2006/07/05				
		1 PLACES	±	±	APPR BY	DATE				
		0 PLACES	±	±	PATEY	2006/07/05	PRODUCT CUSTOMER DRAWING			
		ANGULAR TOL ± 3.0		DRAWING SIZE	THIRD ANGLE PROJECTION		SERIES	MATERIAL NUMBER	CUSTOMER	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3			87920	SEE TABLE	GENERAL MARKET	
C2	REV			DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		
				SD-87920-001		PSD	001	3 OF 14		

RELEASE STATUS	P1	RELEASE DATE	2018/06/19	16:18:34
----------------	----	--------------	------------	----------


THIS TYPE OF CARRIER TAPE IS FOR CKT SIZE 06 ONLY



NOTES:
1. LEADER AND TRAILER TAPE





2. PEELING OFF FORCE OF THE TOP TAPE: 20-80gf.
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)




3. PACKAGING STANDARD IS AS PER EIA-481.
4. TAPE & REEL QUANTITY = 440PCS/REEL
5. THE TAPE IS TREATED FOR ANTI-STATIC.

PART PACKED IN
TAPE & REEL
ORIENTATION




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
MIGRATED TO NX EC NO: 168769 DRWN: GGUNAGI CHK'D: KHLIM REV APPR: KHLIM	2017/11/23 2018/06/19 2018/06/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE	molex®									
			MM	INCH	MM							NTS			
		4 PLACES	±	±	DRWN BY		DATE		CUSTOM HEADER C-GRID HDR, SMT W/CAP WITH/WITHOUT LOC. PEGS						
		3 PLACES	±	±	SKLIM01		2006/05/25								
		2 PLACES	± 0.2	±	CHK'D BY		DATE								
		1 PLACES	±	±	PATEY		2006/07/05								
		0 PLACES	±	±	APPR BY		DATE								
		ANGULAR TOL ± 3.0		DRAWING SIZE		THIRD ANGLE PROJECTION		PRODUCT CUSTOMER DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3				87920		SEE TABLE		GENERAL MARKET			
		C2	REV	DOCUMENT NUMBER SD-87920-001				DOC TYPE PSD		DOC PART 001		SHEET NUMBER 4 OF 14			

THIS TYPE OF CARRIER TAPE IS FOR CKT SIZE 14, 16 AND 20



CKT	Ao	Bo	F	Ko	P1	So	W	C
14	7.40	18.33	14.20	10.80	12.00	28.40	32.00	3.00
16	7.40	20.90	14.20	10.80	12.00	28.40	32.00	3.00
20	7.40	25.95	20.20	10.80	12.00	40.40	44.00	5.00


- NOTES:
- LEADER AND TRAILER TAPE
 - PEELING OFF FORCE OF THE TOP TAPE: 20-80gf. (PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)
 - PACKAGING STANDARD IS AS PER EIA-481.
 - TAPE & REEL QUANTITY = 440PCS/REEL
 - THE TAPE IS TREATED FOR ANTI-STATIC.




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
MIGRATED TO NX EC NO: 168769 DRWN: GGUNAGI CHK'D: KHLIM APPR: KHLIM		2017/11/23 2018/06/19 2018/06/19	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex®				
						MM		NTS						
						DRWN BY		DATE		CUSTOM HEADER C-GRID HDR, SMT W/CAP WITH/WITHOUT LOC. PEGS				
			4 PLACES			±	±	SKLIM01					2006/05/25	
			3 PLACES			±	±	CHK'D BY					DATE	
			2 PLACES			± 0.2	±	PATEY					2006/07/05	
			1 PLACES			±	±	APPR BY					DATE	
			0 PLACES			±	±	PATEY		2006/07/05		PRODUCT CUSTOMER DRAWING		
			ANGULAR TOL ± 3.0			DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES	MATERIAL NUMBER			
						A3				87920	SEE TABLE		GENERAL MARKET	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER			
C2		REV						SD-87920-001		PSD	001	6 OF 14		

CKT	Ao	Bo	F	kO	P1	So	W
40	7.60	51.60	34.20	11.30	16.00	68.50	72.00


THIS TYPE OF CARRIER TAPE IS FOR CKT SIZE 40 ONLY




NOTES:
1. LEADER AND TRAILER TAPE




2. PEELING OFF FORCE OF THE TOP TAPE: 20-80gf.
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)



3. PACKAGING STANDARD IS AS PER EIA-481.
4. TAPE & REEL QUANTITY = 250PCS/REEL
5. THE TAPE IS TREATED FOR ANTI-STATIC.



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
MIGRATED TO NX EC NO: 168769 DRWN: GGUNAGI CHK'D: KHLIM APPR: KHLIM	2017/11/23	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS	SCALE	molex®								
	2018/06/19				MM	NTS									
	2018/06/19				MM	INCH	DRWN BY	DATE	CUSTOM HEADER C-GRID HDR, SMT W/CAP WITH/WITHOUT LOC. PEGS						
		4 PLACES	±	±	SKLIM01	2006/05/25									
		3 PLACES	±	±	CHK'D BY	DATE									
		2 PLACES	± 0.2	±	PATEY	2006/07/05									
		1 PLACES	±	±	APPR BY	DATE									
		0 PLACES	±	±	PATEY	2006/07/05	PRODUCT CUSTOMER DRAWING								
		ANGULAR TOL ± 3.0			DRAWING SIZE	THIRD ANGLE PROJECTION	SERIES	MATERIAL NUMBER			CUSTOMER				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			A3		87920	SEE TABLE			GENERAL MARKET				
	DOCUMENT NUMBER						DOC TYPE	DOC PART	SHEET NUMBER						
C2	REV						SD-87920-001			PSD	001	7 OF 14			

E

E

PART NUMBER IN PACKAGING OPTION			CKT SIZE	VOID	PEG	PLATE OPT.	DIMENSION					
TAPE & REEL WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP					A	B	C	M	F	G
87920-0801	87920-0811	87920-0821	8	---	N	1	10.16	7.62	---	5.84	9.65	10.66
87920-0802	87920-0812	87920-0822	8	---	N	2	10.16	7.62	---	5.84	9.65	10.66
87920-0803	87920-0813	87920-0823	8	---	N	3	10.16	7.62	---	5.84	9.65	10.66
87920-0804	87920-0814	87920-0824	8	---	Y	1	10.16	7.62	5.08	5.84	9.65	10.66
87920-0805	87920-0815	87920-0825	8	---	Y	2	10.16	7.62	5.08	5.84	9.65	10.66
87920-0806	87920-0816	87920-0826	8	---	Y	3	10.16	7.62	5.08	5.84	9.65	10.66
87920-9801	87920-9802	87920-9803	8	1.6	N	1	10.16	7.62	---	5.84	9.65	10.66
87920-1001	87920-1011	87920-1021	10	---	N	1	12.70	10.16	---	5.84	9.65	10.66
87920-1002	87920-1012	87920-1022	10	---	N	2	12.70	10.16	---	5.84	9.65	10.66
87920-1003	87920-1013	87920-1023	10	---	N	3	12.70	10.16	---	5.84	9.65	10.66
87920-1004	87920-1014	87920-1024	10	---	Y	1	12.70	10.16	7.62	5.84	9.65	10.66
87920-1005	87920-1015	87920-1025	10	---	Y	2	12.70	10.16	7.62	5.84	9.65	10.66
87920-1006	87920-1016	87920-1026	10	---	Y	3	12.70	10.16	7.62	5.84	9.65	10.66
-----	87920-1211	87920-1221	12	---	N	1	15.24	12.70	---	5.84	9.65	10.66
-----	87920-1212	87920-1222	12	---	N	2	15.24	12.70	---	5.84	9.65	10.66
-----	87920-1213	87920-1223	12	---	N	3	15.24	12.70	---	5.84	9.65	10.66
-----	87920-1214	87920-1224	12	---	Y	1	15.24	12.70	10.16	5.84	9.65	10.66
-----	87920-1215	87920-1225	12	---	Y	2	15.24	12.70	10.16	5.84	9.65	10.66
-----	87920-1216	87920-1226	12	---	Y	3	15.24	12.70	10.16	5.84	9.65	10.66

PART NUMBER IN PACKAGING OPTION			CKT SIZE	PEG	PLATE OPT.	DIMENSION					
TAPE & REEL WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP				A	B	C	M	F	G
87920-0831	87920-0841	87920-0851	8	N	1	10.16	7.62	---	3.05	6.86	10.31
87920-0832	87920-0842	87920-0852	8	N	2	10.16	7.62	---	3.05	6.86	10.31
87920-0833	87920-0843	87920-0853	8	N	3	10.16	7.62	---	3.05	6.86	10.31
87920-0834	87920-0844	87920-0854	8	Y	1	10.16	7.62	5.08	3.05	6.86	10.31
87920-0835	87920-0845	87920-0855	8	Y	2	10.16	7.62	5.08	3.05	6.86	10.31
87920-0836	87920-0846	87920-0856	8	Y	3	10.16	7.62	5.08	3.05	6.86	10.31
87920-1031	87920-1041	87920-1051	10	N	1	12.70	10.16	---	3.05	6.86	10.31
87920-1032	87920-1042	87920-1052	10	N	2	12.70	10.16	---	3.05	6.86	10.31
87920-1033	87920-1043	87920-1053	10	N	3	12.70	10.16	---	3.05	6.86	10.31
87920-1034	87920-1044	87920-1054	10	Y	1	12.70	10.16	7.62	3.05	6.86	10.31
87920-1035	87920-1045	87920-1055	10	Y	2	12.70	10.16	7.62	3.05	6.86	10.31
87920-1036	87920-1046	87920-1056	10	Y	3	12.70	10.16	7.62	3.05	6.86	10.31
-----	87920-1241	87920-1251	12	N	1	15.24	12.70	---	3.05	6.86	10.31
-----	87920-1242	87920-1252	12	N	2	15.24	12.70	---	3.05	6.86	10.31
-----	87920-1243	87920-1253	12	N	3	15.24	12.70	---	3.05	6.86	10.31
-----	87920-1244	87920-1254	12	Y	1	15.24	12.70	10.16	3.05	6.86	10.31
-----	87920-1245	87920-1255	12	Y	2	15.24	12.70	10.16	3.05	6.86	10.31
-----	87920-1246	87920-1256	12	Y	3	15.24	12.70	10.16	3.05	6.86	10.31

B

B


A

A

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																											
MIGRATED TO NX EC NO: 188769 DRWN: GGUNAGI CHK'D: KHLIM APP'R: KHLIM		2017/11/23 2018/06/19 2018/06/19	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex®																																	
						MM		NTS																																			
				MM	INCH	DRWN BY		DATE		CUSTOM HEADER C-GRID HDR, SMT W/CAP WITH/WITHOUT LOC. PEGS																																	
			4 PLACES	±	±	SKLIM01		2006/05/25																																			
			3 PLACES	±	±	CHK'D BY		DATE																																			
			2 PLACES	± 0.2	±	PATEY		2006/07/05																																			
			1 PLACES	±	±	APPR BY		DATE																																			
			0 PLACES	±	±	PATEY		2006/07/05		PRODUCT CUSTOMER DRAWING <table><tr><td>SERIES</td><td colspan="3">MATERIAL NUMBER</td><td colspan="3">CUSTOMER</td></tr><tr><td>87920</td><td colspan="3">SEE TABLE</td><td colspan="3">GENERAL MARKET</td></tr><tr><td colspan="3">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="3">SD-87920-001</td><td>PSD</td><td>001</td><td colspan="2">9 OF 14</td></tr></table>						SERIES	MATERIAL NUMBER			CUSTOMER			87920	SEE TABLE			GENERAL MARKET			DOCUMENT NUMBER			DOC TYPE	DOC PART	SHEET NUMBER		SD-87920-001			PSD	001	9 OF 14	
			SERIES	MATERIAL NUMBER			CUSTOMER																																				
			87920	SEE TABLE			GENERAL MARKET																																				
DOCUMENT NUMBER			DOC TYPE	DOC PART	SHEET NUMBER																																						
SD-87920-001			PSD	001	9 OF 14																																						
ANGULAR TOL ± 3.0			DRAWING SIZE		THIRD ANGLE PROJECTION																																						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			A3																																								

PART NUMBER IN PACKAGING OPTION			CKT SIZE	PEG	PLATE OPT.	DIMENSION					
TAPE & REEL WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP				A	B	C	M	F	G
87920-2001	87920-2011	87920-2021	20	N	1	25.40	22.86	---	5.84	9.65	10.66
87920-2002	87920-2012	87920-2022	20	N	2	25.40	22.86	---	5.84	9.65	10.66
87920-2003	87920-2013	87920-2023	20	N	3	25.40	22.86	---	5.84	9.65	10.66
87920-2004	87920-2014	87920-2024	20	Y	1	25.40	22.86	20.32	5.84	9.65	10.66
87920-2005	87920-2015	87920-2025	20	Y	2	25.40	22.86	20.32	5.84	9.65	10.66
87920-2006	87920-2016	87920-2026	20	Y	3	25.40	22.86	20.32	5.84	9.65	10.66
-----	87920-2211	87920-2221	22	N	1	27.94	25.40	---	5.84	9.65	10.66
-----	87920-2212	87920-2222	22	N	2	27.94	25.40	---	5.84	9.65	10.66
-----	87920-2213	87920-2223	22	N	3	27.94	25.40	---	5.84	9.65	10.66
-----	87920-2214	87920-2224	22	Y	1	27.94	25.40	22.86	5.84	9.65	10.66
-----	87920-2215	87920-2225	22	Y	2	27.94	25.40	22.86	5.84	9.65	10.66
-----	87920-2216	87920-2226	22	Y	3	27.94	25.40	22.86	5.84	9.65	10.66
-----	87920-2411	87920-2421	24	N	1	30.48	27.94	---	5.84	9.65	10.66
-----	87920-2412	87920-2422	24	N	2	30.48	27.94	---	5.84	9.65	10.66
-----	87920-2413	87920-2423	24	N	3	30.48	27.94	---	5.84	9.65	10.66
-----	87920-2414	87920-2424	24	Y	1	30.48	27.94	25.40	5.84	9.65	10.66
-----	87920-2415	87920-2425	24	Y	2	30.48	27.94	25.40	5.84	9.65	10.66
-----	87920-2416	87920-2426	24	Y	3	30.48	27.94	25.40	5.84	9.65	10.66

PART NUMBER IN PACKAGING OPTION			CKT SIZE	PEG	PLATE OPT.	DIMENSION					
TAPE & REEL WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP				A	B	C	M	F	G
87920-2031	87920-2041	87920-2051	20	N	1	25.40	22.86	---	3.05	6.86	10.31
87920-2032	87920-2042	87920-2052	20	N	2	25.40	22.86	---	3.05	6.86	10.31
87920-2033	87920-2043	87920-2053	20	N	3	25.40	22.86	---	3.05	6.86	10.31
87920-2034	87920-2044	87920-2054	20	Y	1	25.40	22.86	20.32	3.05	6.86	10.31
87920-2035	87920-2045	87920-2055	20	Y	2	25.40	22.86	20.32	3.05	6.86	10.31
87920-2036	87920-2046	87920-2056	20	Y	3	25.40	22.86	20.32	3.05	6.86	10.31
-----	87920-2241	87920-2251	22	N	1	27.94	25.40	---	3.05	6.86	10.31
-----	87920-2242	87920-2252	22	N	2	27.94	25.40	---	3.05	6.86	10.31
-----	87920-2243	87920-2253	22	N	3	27.94	25.40	---	3.05	6.86	10.31
-----	87920-2244	87920-2254	22	Y	1	27.94	25.40	22.86	3.05	6.86	10.31
-----	87920-2245	87920-2255	22	Y	2	27.94	25.40	22.86	3.05	6.86	10.31
-----	87920-2246	87920-2256	22	Y	3	27.94	25.40	22.86	3.05	6.86	10.31
-----	87920-2441	87920-2451	24	N	1	30.48	27.94	---	3.05	6.86	10.31
-----	87920-2442	87920-2452	24	N	2	30.48	27.94	---	3.05	6.86	10.31
-----	87920-2443	87920-2453	24	N	3	30.48	27.94	---	3.05	6.86	10.31
-----	87920-2444	87920-2454	24	Y	1	30.48	27.94	25.40	3.05	6.86	10.31
-----	87920-2445	87920-2455	24	Y	2	30.48	27.94	25.40	3.05	6.86	10.31
-----	87920-2446	87920-2456	24	Y	3	30.48	27.94	25.40	3.05	6.86	10.31

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
MIGRATED TO NX EC NO: 188789 DRWN: GGUNAGI CHKD: KHLIM REV APPR: KHLIM C2		2017/11/23 2018/06/19 2018/06/19	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex® CUSTOM HEADER C-GRID HDR, SMT W/CAP WITH/WITHOUT LOC. PEGS								
						MM		NTS										
				MM	INCH	DRWN BY		DATE		PRODUCT CUSTOMER DRAWING								
			4 PLACES	±	±	SKLIM01		2006/05/25										
			3 PLACES	±	±	CHK'D BY		DATE										
			2 PLACES	± 0.2	±	PATEY		2006/07/05										
			1 PLACES	±	±	APPR BY		DATE										
			0 PLACES	±	±	PATEY		2006/07/05		SERIES		MATERIAL NUMBER			CUSTOMER			
			ANGULAR TOL ± 3.0			DRAWING SIZE		THIRD ANGLE PROJECTION			87920		SEE TABLE			GENERAL MARKET		
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			A3					DOCUMENT NUMBER			DOC TYPE		DOC PART		SHEET NUMBER
								SD-87920-001			PSD		001		11 OF 14			

RELEASE STATUS	P1	RELEASE DATE	2018/06/19	16:18:34
----------------	----	--------------	------------	----------

