


REVISIONS	0.4TE	6 JUL	4040	
DESCRIPTION	DATE	DWN	APVD	
	05MAR2014	GK	HMR	
				D
DR PART				
				С
				В
• TE TE CO	nnectivit	v		
		1		
FINE ADJUST SIDE FEI	ED HDI			
APPLICATOR				А
CAGE CODE DRAWING NO		RESTRIC	TED TO	
C- 1528721				
	т ₁ оғ	2 REV	A 1	
	•	-		



DRAWING NUMBER - 1528721 SHEET 2 OF 2 REV. A1

	oc	DIST		REVISIONS			
E	A	66 PLITE		DESCRIPTION	DATE	DWN	APV
3 -		2	ADDED 1.00mm		120CT2006	MC	MC
		A	SEE ECO-06-0	25016	250CT2006	LJL	MC
						-	
-	-	-	-				73
-	-	-	-				72
	1	1338705	- 3 DOCUN	ENTATION PACKAGE			7
-	-	-	-			-	70
-	-	-	-				68
1		461264-	5 PLATE	. IDENTIFICATION			67
2	2	21017-	2 SCREV	I, DRIVE			66
-	-	-	-				65
-	-	- 3-18031		SET, CUP POINT N			<u>64</u> 63
-	-		- U 30R,	SET, CUE EVINE M	10 X 0.0		62
2	2	2-18032	-5 SCR,	SET, FLT POINT N	15 X 20.0		6
	1	18024-		BTN SKT HD CAP (60
		5-18022		HEX HD CAP M4 X	8.0		59
-	-	-	-				<u>58</u> 57
-	-	1338685		FEED			56
-	-	-	-	. No No Vr			55
4	4	18024-		BTN SKT HD CAP (54
2	2	9-18023		SKT HD CAP M4 X	4.0		53
 		18030- 811242-		HEX, REG M3 R, HOLD DOWN			<u>52</u> 51
 		690753-	-2 SPACE	R, HOLD DOWN			<u>51</u> 50
1		18024-		BTN SKT HD CAP (M3 X 10.0)		49
l	-	1338675	-I CAM,	UNIVERSAL PRE FE	ED		48
-	1	1338676		UNIVERSAL POST-F			47
1		1320999		CATOR SUBASSEMBL	Y, HDI		46
 		690191- 1338660		NYLON			45
-	-	-	- I NAM -				4 4
-	-	-	-				42
		2-18024	-6 SCR,	BTN SKT HD CAP (M8 X 25.0)		4
-	-	-	-	V224_812			40
		690125- 469367-		SUB-ASSY			<u>39</u> 38
 		879103-		ADJUST HEAD ASSE	MBLY		37
-	-	-	-				36
	-	-	-				35
2	1	1320934		RT, TERMINAL	M/ V 00 00	-	34
2	2	1-18024		BTN SKT HD CAP (R, FLAT, REG M4	M4 X 20.0)		<u>33</u> 32
<u> </u> 		1-18023		SKT HD CAP M4 X	12.0		31
i.		1320908		R, STRIP GUIDE			30
	-	1633073		GUIDE ASSEMBLY			29
1	1	2-455888		R, CRIMPER			28
2	2	I-22284 356835-		IG, COMPRESSION 2, DRAG RELEASE			27
1 		240792-		TERMINAL			25
	1	1320928		, STRIP GUIDE			24
	-	980371-	4 SCR,	SKT HD SHLDR 5.0	DIAX6.0		23
-		690472-			10.0		22
4		1-18023		SKT HD CAP M4 X		-	21
4	-	18025-		ER, SPRG LOCK, RE PPER	.∪ M4		20
-	-	-	-				18
-	-	338684	- I SHEAF	HOLDER, FRONT			+ 7
-	-	-	-				16
-	-	-	-			-	15
-	-	-					14
-	-	3-22280	-3 SPRIM	IG, COMPRESSION			10
1		356885-		SHEAR			
	- 1	320921		HOLDER, FRONT,			1 C
1		1-454276		ING SHEAR, FRONT			9
	1	2-163313		., COMBINATION			8
-	-	240641-	-5 SPACE -	.Ν.			6
-	-	3-455889		SSOR, SHEAR			5
	- I	238011-	9 BLOCH	, CRIMPER SPACEF			4
	-	9-854830		PER, INSULATION S			3
-	-	-	-				2
<u> </u>		4-167360		'ER, WIRE			I TEN
- 2	-	PART N		DESCRIPT	ION		NO
CS COR OPGAN		DWN 20S	EP2006		Electronics		
UNLE		-			sburg, PA 17105-360	8	
LU IF		APVD 20S M.CLIFFORD PRODUCT SPEC	CI LVVV HARL	FINE ADJUST			
		-		HDI APPL	CATOR		
	L						
_ +		APPLICATION SPEC See Table WEIGHT	SIZE	CAGE CODE DRAWING NO		RESTR	ICTED .

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 1528721-1