





1

2

3

4

5



#### TECHNICAL CHARACTERISTICS

**MATERIAL**  
 INSULATOR: NYLON 66  
 FLAMMABILITY RATING: UL94-V0  
 COLOR: WHITE  
 PITCH: 2.00MM

**ENVIRONMENTAL**  
 OPERATING TEMPERATURE: -25°C UP TO 85°C  
 COMPLIANCE: LEAD FREE AND ROHS



**ELECTRICAL**  
 INSULATOR RESISTANCE: >1000 MOHM  
 DIELECTRIC WITHSTANDING VOLTAGE: 800V AC/MN

**STANDARD**  
 CERTIFIED: E323964

**PACKAGING**  
 BAG

**DIMENSION**  
 A = 2.00 x (NB. PIN - 1)  
 B = 2.00 x (NB. PIN) + 0.60  
 C = 2.00 x (NB. PIN) + 1.70

#### RoHS Compliant

G	20-NOV-15	C DIMENTION	ES	PROJECTION: 	GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15		
F	26-MAY-14	OPE TEMPERATURE	QL				
E	06-AUG-13	CHARACTERISTIC	QL				
D	17-NOV-09	STANDARD	JP				
C	28-OCT-09	W. VOLTAGE	JP	APPROVAL: BBu	UNIT: MM	<b>DESCRIPTION: 2.00 MM FEMALE TERMINAL HOUSING</b>	SIZE <b>A4</b>
B	02-JUN-09	C DIMENSION	JP		SCALE:		
A	01-NOV-08	PDF	CH		SHEET: 1/2	<b>WERI PART NO: 620 0xx 113 322</b>	
REV	DATE	FILE	BY		DRAW: JERRY CHEN		

1

2

3

4

5

## Cautions and Warnings:

This electronic component is designed and developed with the intention for use in general electronics equipments.

Before incorporating the components into any equipments in the field such as aerospace, aviation, nuclear control, submarine, transportation, (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc. where higher safety and reliability are especially required or if there is possibility of direct damage or injury to human body, Würth Elektronik must be asked for a written approval.



In addition, even electronic component in general electronic equipments, when used in electrical circuits that require high safety, reliability functions or performance, the sufficient reliability evaluation-check for the safety must be performed before by the user before usage.

A

B

C

RoHS Compliant

G				PROJECTION: 	GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15		
F							
E							
D							
C				APPROVAL: JC	UNIT: MM	DESCRIPTION: DISCLAIMER	SIZE <b>A4</b>
B					SCALE:		
A	10-SEP-14	PDF	QL		SHEET: 2/2	WERI PART NO: DISCLAIMER	
REV	DATE	FILE	BY		DRAW: QL		

D

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Wurth Electronics:](#)

[620005113322](#) [620003113322](#) [620004113322](#) [620002113322](#)