

Seal - SACB-D PG 13,5 (6,5-9,5) BK - 1680380

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Rubber seal for Pg13.5 screw connection, for 6.5 mm ... 9.5 mm cable diameter



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
Weight per Piece (excluding packing)	4.48 g
Custom tariff number	39269097
Country of origin	Germany

Technical data

Master cable data/connection data

External cable diameter min.	6.5 mm
External cable diameter max.	9.5 mm

Insulation material

Sealing material	TPE
------------------	-----

Classifications

eCl@ss

eCl@ss 4.0	27141209
eCl@ss 4.1	27141209
eCl@ss 5.0	27149109
eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 7.0	27149109

Seal - SACB-D PG 13,5 (6,5-9,5) BK - 1680380

Classifications

eCl@ss

eCl@ss 8.0	27069217
------------	----------

ETIM

ETIM 2.0	EC000441
ETIM 3.0	EC000441
ETIM 4.0	EC002498
ETIM 5.0	EC002318

UNSPSC

UNSPSC 6.01	31251501
UNSPSC 7.0901	31251501
UNSPSC 11	31251501
UNSPSC 12.01	31251501
UNSPSC 13.2	31251501

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

Approval details

EAC

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1680380](#)