




THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION.

LOC
DW

	DIS
	↗

REVISIONS

[illegible]

LTR




DESCRIPTION

DATE _____



	DWN
--	-----

	APVC
--	------

SEE SHEET 1.



WITHOUT SPRING



		2.84	2.84	BLACK (426C)	15μ"	5-1734309-	
	OBSOLETE	2.2	2.84	-BEIGE (726C)	15μ"	3-1734309-	
	OBSOLETE			-BLACK (426C)	15μ"	3-1734309-	
	OBSOLETE			-BEIGE (726C)	30μ"	3-1734309-	
				BLACK (426C)	30μ"	3-1734309-	
 OBSOLETE				-BEIGE (726C)	5μ"	3-1734309-	
				-BLACK (426C)	5μ"	3-1734309-	
				-BEIGE (726C)	G/F	3-1734309-	
				-BLACK (426C)	G/F	3-1734309-	
	 OBSOLETE				-BEIGE (726C)	15μ"	1-1734309-
					BLACK (426C)	15μ"	1-1734309-
		-BEIGE (726C)	30μ"	1-1734309-			
		BLACK (426C)	30μ"	1-1734309-			
 OBSOLETE			-BEIGE (726C)	5μ"	1-1734309-		
			-BLACK (426C)	5μ"	1-1734309-		
		-BEIGE (726C)	G/F	1-1734309-			
		-BLACK (426C)	G/F	1-1734309-			
DIM B	DIM A		HOUSHING COLOR	MIN. GOLD THICKNESS	PART NUMBER		

THIS DRAWING IS A CONTROLLED DOCUMENT.

	DWN
--	-----

CUV

--	--

PRODUCT SPEC

APPLICATION SPEC

WEIGHT	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

9.0 GRAMS

CUSTOMER DRAWING

	NAME
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	

517

E	CASE CODE
---	-----------

DRAWING NO.

RESTRICTED TO



TRIPLE STACKED USB, A TYPE,
RECEPTACLE, R/A, DIP CONN.

A300779

©-1734309

	SCALE
--	-------

1 SHEET

REV D 3




D

C


B

A


100PCS/TRAY



10 LAYERS



CARTON



13.0	12.0	100	10	1000
G/W (KG)	N/W (KG)	PCS/TRAY	TRAY/CARTON	PCS/CARTON

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity	
DIMENSIONS: MM		CHK			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD		NAME	
0 PLC ± -		PRODUCT SPEC		TRIPLE STACKED USB, A TYPE, RECEPTACLE, R/A, DIP CONN.	
1 PLC ± -		APPLICATION SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
2 PLC ± -		WEIGHT		A3 00779 C=1734309	
3 PLC ± -		CUSTOMER DRAWING		SCALE	
4 PLC ± -		SHEET 3 OF 3		REV D3	
ANGLES ± -					
FINISH					
MATERIAL					

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-1734309-6](#)