





- 1 HOUSING MATERIAL: GLASS FILLED POLYESTER PER AMP 100-457. COLOR: BLUE (26682-2)
- 2 NUMBERS MARKED ON MATING FACE. LINES INDICATING EVERY FIVE CAVITIES MARKED ON MATING FACE. (LINES OPTIONAL)
- 3 CONTACT SHOWN FOR REFERENCE ONLY AND MUST BE PURCHASED SEPARATELY. PART NUMBER 531215 FOR #28 TO #32 AWG WITH .000050 GOLD INLAY, TIN-LEAD IN WIRE BARREL, PART NUMBER 531216 FOR #22 TO #26 AWG WITH SAME FINISH.
- 4 AMP, PART NUMBER AND DATE CODE INK STAMPED OR LASER MARKED ON THIS SURFACE, COLOR, WHITE



SECTION Y-Y
SCALE 10:1
ROTATED CW 90°

56	55	5.400	[137.16]	54	5.665	[143.89]	6.065	[154.05]	6.355	[161.42]	110	1-531840-7
51	50	4.900	[124.46]	49	5.165	[131.19]	5.565	[141.35]	5.855	[148.72]	100	1-531840-5
46	45	4.400	[111.76]	44	4.665	[118.49]	5.065	[128.65]	5.355	[136.02]	90	1-531840-3
41	40	3.900	[99.06]	39	4.165	[105.79]	4.565	[115.95]	4.855	[123.32]	80	1-531840-1
36	35	3.400	[86.36]	34	3.665	[93.09]	4.065	[103.25]	4.355	[110.62]	70	531840-9
31	30	2.900	[73.66]	29	3.165	[80.39]	3.565	[90.55]	3.855	[97.92]	60	531840-7
26	25	2.400	[60.96]	24	2.665	[67.69]	3.065	[77.85]	3.355	[85.22]	50	531840-5
21	20	1.900	[48.26]	19	2.165	[54.99]	2.565	[65.15]	2.855	[72.52]	40	531840-3
16	15	1.400	[35.56]	14	1.665	[42.29]	2.065	[52.45]	2.355	[59.82]	30	531840-1
CAVITY IDENTIFICATION		E	D	C	B	A	NO OF POSN		PART NUMBER			

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	, 19
© COPYRIGHT 19 BY AMP INCORPORATED. ALL RIGHTS RESERVED.		

LOC	DIST	REVISIONS					
DF	FO	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

- ① HOUSING MATERIAL: GLASS FILLED POLYESTER PER AMP 100-457.
COLOR: BLUE (26682-2)
- ② NUMBERS MARKED ON MATING FACE. LINES INDICATING EVERY FIVE CAVITIES MARKED ON MATING FACE. (LINES OPTIONAL)
- ③ CONTACT SHOWN FOR REFERENCE ONLY AND MUST BE PURCHASED SEPARATELY. PART NUMBER 531215 FOR #28 TO #32 AWG WITH .000050 GOLD INLAY, TIN-LEAD IN WIRE BARREL, PART NUMBER 531216 FOR #22 TO #26 AWG WITH SAME FINISH.
- ④ AMP, PART NUMBER AND DATE CODE INK STAMPED WHITE THIS SURFACE.

56	1 — 55 110	5.400	[137.16]	54	5.665	[143.89]	6.065	[154.05]	6.355	[161.42]	110	1-531840-7
51	1 — 50 100	4.900	[124.46]	49	5.165	[131.19]	5.565	[141.35]	5.855	[148.72]	100	1-531840-5
46	1 — 45 90	4.400	[111.76]	44	4.665	[118.49]	5.065	[128.65]	5.355	[136.02]	90	1-531840-3
41	1 — 40 80	3.900	[99.06]	39	4.165	[105.79]	4.565	[115.95]	4.855	[123.32]	80	1-531840-1
36	1 — 35 70	3.400	[86.36]	34	3.665	[93.09]	4.065	[103.25]	4.355	[110.62]	70	531840-9
31	1 — 30 60	2.900	[73.66]	29	3.165	[80.39]	3.565	[90.55]	3.855	[97.92]	60	531840-7
26	1 — 25 50	2.400	[60.96]	24	2.665	[67.69]	3.065	[77.85]	3.355	[85.22]	50	531840-5
21	1 — 20 40	1.900	[48.26]	19	2.165	[54.99]	2.565	[65.15]	2.855	[72.52]	40	531840-3
16	1 — 15 30	1.400	[35.56]	14	1.665	[42.29]	2.065	[52.45]	2.355	[59.82]	30	531840-1
CAVITY IDENTIFICATION		E		D	C		B		A		NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN 10-20-94 T. ALEXANDER CHK 1-23-95 G. SCHAEFFER APVD 1-23-95 G. SCHAEFFER PRODUCT SPEC — APPLICATION SPEC — WEIGHT —		AMP Incorporated Harrisburg, PA 17105-3608 AMP NAME RECEPTACLE HOUSING, BOX CONNECTOR, .100 FOR TANDEM SPRING SIZE A2		CAGE CODE 00779		DRAWING NO C-531840	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.005 1 PLC ±.005 2 PLC ±.005 3 PLC ±.010 [0.25] 4 PLC ±.005 ANGLES ±0° 30' FINISH —		CUSTOMER DRAWING		SCALE —		SHEET 2 OF 2	
MATERIAL —						REV C			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[531840-1](#)