








LOC 	DIST -	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

POLARIZATION KEYS

TYPE "A"	TYPE "B"	TYPE "C"	TYPE "D"	TYPE "E"	TYPE "F"
P/N 293602-1 AS SHOWN	P/N 293602-2 AS SHOWN	P/N 293602-3 AS SHOWN	P/N 293602-4 AS SHOWN	P/N 293602-5 AS SHOWN	P/N 293602-6 AS SHOWN
					

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL

-

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±°
1 PLC ±0.3
2 PLC ±0.20
3 PLC ±°
4 PLC ±°
ANGLES ±3°

FINISH

-

DWN M. ZUCCA 28OCT2009
CHK M. ZUCCA 28OCT2009
APVD G. TURCO 28OCT2009

PRODUCT SPEC

108-20304

APPLICATION SPEC

114-20152

WEIGHT

-

Customer Drawing



TE Connectivity

NAME

SOCKET CONNECTOR PCB
VERTICAL VERSION
NECTOR* M-LINE 3 POS. UNSEALED

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-293602

-

SCALE

3:1

SHEET

2

OF

3

REV

F

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[293602-1](#)