










DETAIL K
SCALE 8:1



dr	Wei-Long Zhang	2011/08/08			MM	size	A2	scale	4:1
eng	Wei-Long Zhang	2011/09/26				ecn no	-		
chr	Jon Qin	2011/09/26				rel level	Released		
appr	Pei-Ming Zheng	2011/09/26	product family		-				
	title	RIGHT ANGLE 24SI6P				dwg no	10118868		rev
		HIGHT POWER CARD EDGE							
www.fci.com	cat. no.	-	Product - Customer Drw				sheet 2 of 4		

CONTACT TYPE	TOP LAYER DESCRIPTION	TABLE 1 (HPCE / SOLDER TAILS) PLATED THROUGH-HOLE REQUIREMENTS				
		DRILLED HOLE DIAMETER	COPPER THICKNESS	TIN-LEAD THICKNESS	TIN THICKNESS	FINISHED HOLE DIAMETER
POWER & SIGNAL	TIN-LEAD	1.10-1.16 (1.15 DRILL)	0.025 - 0.050	0.005 - 0.015	--	0.94 - 1.10
	IMMERSION TIN	1.10-1.16 (1.15 DRILL)	0.025 - 0.050	--	0.9 - 1.5um	0.94 - 1.10
	COPPER (SEE NOTE 8)	1.10-1.16 (1.15 DRILL)	0.025 - 0.050	--	--	0.94 - 1.10



RECOMMENDED MATING BOARD
FOOTPRINT

dr	Wei-Long Zhang	2011/08/08	projection 	MM 	size	A2	scale	4:1				
eng	Wei-Long Zhang	2011/09/26			ecn no	-	Released					
chr	Jon Qin	2011/09/26										
appr	Pei-Ming Zheng	2011/09/26						product family	-	rel level		
			title			RIGHT ANGLE 24SI6P HIGH POWER CARD EDGE		dwg no	10118868	rev	A	
www.fci.com			cat. no.		-	Product - Customer Drw			sheet 3 of 4			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[10118868-003LF](#) [10118868-002LF](#) [10118868-004LF](#) [10118868-001LF](#)