

Adapter - HC-NPT-1/2-M20 - 1686847

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



NPT adapter, IP68, up to 5 bar, incl. O-ring seal, M20 to 1/2"



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	34.44 g
Custom tariff number	74199990
Country of origin	Germany

Technical data

Dimensions

Length	25 mm
Length without connecting thread	18.5 mm
Connecting thread diameter	20 mm
Wrench size, union nut	24 mm
Hexagon angular dimension GRP	24 mm
Length of the connecting thread	6.5 mm

Ambient conditions

Degree of protection	IP68 (Depends on the screw connection used)
Ambient temperature (operation)	-20 °C ... 80 °C

General

Material	Nickel-plated brass
Cable gland material	Nickel-plated brass
O-ring material	NBR
Thread type on connection side	M20
Thread type on seal side	1/2-inch NPT

Adapter - HC-NPT-1/2-M20 - 1686847

Technical data

General

Color	silver
-------	--------

Classifications

eCl@ss

eCl@ss 4.0	27141209
eCl@ss 4.1	27141209
eCl@ss 5.0	27149109
eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 7.0	27149109
eCl@ss 8.0	27439207

ETIM

ETIM 2.0	EC000441
ETIM 3.0	EC000441
ETIM 4.0	EC000441
ETIM 5.0	EC000938

UNSPSC

UNSPSC 6.01	31261502
UNSPSC 7.0901	31261502
UNSPSC 11	31261502
UNSPSC 12.01	31261502
UNSPSC 13.2	31261502

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

Adapter - HC-NPT-1/2-M20 - 1686847


Approvals

Approval details


EAC

Drawings

Dimensional drawing



Dimensional drawing



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1686847](#)