

 1. RECOMMENDED SPARE PARTS.

2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.

3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.



	B	0150-0777-03	RK	JUL03
P F	A LTR	SEE ECN 015A-0312-01	MC	APR07
		REVISION RECORD	APP	DATE

		DIMENSIONS: mm [INCHES]		MATERIAL		HT TR		FIN	
		DO NOT SCALE PRINT.							
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DR 28FEB01		APP 28FEB01			
		1 P/LC DEC $\pm 0.5$ [0.02 IN]		M. CLIFFORD		F. BACKHURST			
		2 P/LC DEC $\pm$		CHK -		REL 11-04-01		 AMP Incorporated Harrisburg, Pa 17105-3608	
		3 P/LC DEC $\pm$				M. CLIFFORD			
		ANGLES:		NAME		MACHINE REF			
		SURF TEXTURE: $\checkmark$		SIDE FEED HD-1 APPLICATOR		HD-1 APPL			
RK	JUL03			SCALE		DWG NO		SHEET	
MC	APR01	REMOVE BURRS, BREAK		D		1426170		1 OF 1	
APP	DATE	SHARP EDGES R.38 MAX						REV B	
		CASE CODE		RESTRICTED TO					
		00779		CUSTOMER AND ASSEMBLY DRAWING					

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1426170-1](#)